

BARADINE

CATALOGUE

Brake shoes
Brake pads
Rotors
Accessories

Security
Reliability
Durability
Originality



INTRODUCTION

Since its foundation, Baradine has been renowned as market leader for cycle braking products. This reputation is strengthened by its technical expertise and thirty years experience. A commitment to research, development, testing and manufacture and above a passion for cycling ensures that Baradine leads where others can only follow.

Baradine products are manufactured to exacting standards using scientifically developed compounds and designs for each and every type of braking system. This is achieved by taking account of specific operational requirements and environmental conditions. So whether you're taking a leisurely Sunday morning ride, competing in the Tour de France or taking on the best in the down hill championships, you can be confident that your brakes will meet and exceed your expectations.

The Baradine logo on your braking products is your guarantee of performance, reliability, durability and quality; don't settle for second best.


The Baradine logo is displayed in a bold, orange, sans-serif font. The letters are closely spaced, and the word is centered horizontally within the lower right portion of the light orange background.

CONTENTS

ROTOR	01
ADAPTOR	03
DISC PADS	05
EXTRA LIGHT	13
V-TYPE	14
ROAD	16
CANTILEVER	20
ABS TECH / BMX	21
COOLING SOLUTION	22
HYDRAULIC HOSE	25
OUTER CASING	26
INNER WIRE	27
ACCESSORIES	28




Size: 140/160/180mm



Size: 203mm

DB-09CL


- 2-piece Center Lock type
- SUS410 braking band
- Thickness: 1.8±0.1mm
- Size: 140/160/180/203mm
- Double grounded
- Rustproof treatment
- Brake wear indicator



DB-08TP

- Outer Disc:SUS410
- Inner Disc:7075-T6
- Excellent heat dissipation
- 2-piece


Size	Weight
160mm	100.5g
180mm	123.5g
Color	<div> <div></div> <div></div> </div> Red Black



DB-06FB Floating

- Outer Disc:SUS410
- Inner Disc:7075-T6
- Excellent heat dissipation


Size	Weight
160mm	111.5g
180mm	138.5g
Color	<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> Red Black Blue Gold Silver



DB-01

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear


Size	Weight
160mm	115.5g
180mm	135.5g
203mm	194.5g



DB-02

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
140mm	94g
160mm	140g
180mm	173.5g
203mm	200.5g



DB-05


- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
160mm	83.5g
180mm	111.5g
203mm	143g

DB-05D

Spider with optional color

Color	Red	Black	Blue	Gold	Green
-------	-----	-------	------	------	-------



DB-07


- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
140mm	68g
160mm	85g
180mm	106.5g
203mm	131g

DB-07D

Spider with optional color

Color	Red	Black	Blue	Gold	Green
-------	-----	-------	------	------	-------



DB-10

- Stainless steel 410
- Superior heat dissipation
- Excellent disc wear

Size	Weight
160mm	91g
180mm	116g
203mm	127g

ADAPTOR
DISC BRAKE



PM-IS-F160



PM-IS-R160
PM-IS-F180



PM-IS-R180
PM-IS-F203



PM-IS-R203



PM160-PM180



PM160-PM203



PM180-PM203



PM180-PM220

Color

Blue

Red

Gold

POST MOUNT						
ROTOR		Φ140	Φ160	Φ180	Φ203	Φ220
FORK	IS		PM-IS-F160	PM-IS-F180	PM-IS-F203	
	PM160		DIRECT	PM160-PM180	PM160-PM203	
	PM180			DIRECT	PM180-PM203	PM180-PM220
	PM203				DIRECT	
FRAME	IS	PM-IS-F160	PM-IS-R160	PM-IS-R180	PM-IS-R203	
	PM160		DIRECT	PM160-PM180	PM160-PM203	
	PM180			DIRECT	PM180-PM203	PM180-PM220
	PM203				DIRECT	

ADAPTOR

DISC BRAKE



FM-FM-R160

PM-FM-R140

PM-FM-R160

PM-FM-F140

PM-FM-F160



FM-FM-F140/F160

FLAT MOUNT			
ROTOR DIAMETER		Φ140	Φ160
FORK	PM	PM-FM-F140	PM-FM-F160
	FM	FM-FM-F140/F160	FM-FM-F140/F160
FRAME	PM	PM-FM-R140	PM-FM-R160
	FM	N/A	FM-FM-R160

FEATURE

- 1.Precision broached spline
- 2.CNC aluminum shoulder pins
- 3.Steel carrier plate
- 4.CNC aluminium lock ring
- 5.Torque 40Nm

ADVANTAGES

- Min black-lash
- Extremely light weight
- Improved strength



BC02

Fit 9/10/12mm Axle



BC03

Fit 9/10/12/15/20mm Axle

Color


Red Black Blue Gold Silver

CENTER LOCK




BOOST HUB ADAPTOR

	BOOST FORK 110x15mm	BOOST Frame 148x12mm
MTB FORK 100x15mm	BC-05 (5mm)	x
MTB FRAME 142x12mm	x	BC-04 (3mm)
<ul style="list-style-type: none"> Aluminum 6061-T6 Material 1 set=1xHub Adapter, 2xSpacers, 6xScrews 		



DISC PADS



4-Pistons



DS-43F

Reliable organic compound pads with multiple aluminum heat-sink pillars. Help heat dissipating quickly.



5

DS-17F



DS-52F



DS-63F



DS-44F



Sintered compound is designed to produce consistent performance in all condition, offer high durability and high resistance to contamination by mud, water, sand and grit.



Semi compound is specially formulated to produce excellent all around performance, perfect for everyday use.



Organic compound is softer than other compounds, it's gentle to your disc with superior performance, great initial bite feel and quiet, perfect for dry condition

* The appearance of backing plates may have minor difference due to different compoung applied.


SHIMANO

Shimano XT BR-M755 , Grimeca system8 ,
Sram Mechanical 9.0 , Hope Mono M4/
Tech M4 /The cleg/Stealth Race E4/
Tech4 E4 , Trickstuff the cleg 4



- DS-09+SP-09
- DS-09R+SP-09
- DS-09S+SP-09

Shimano Deore(BR- M375 / M395 / M415 / M416 /
M416A / M445 / M446 / M447 / M465 / M475 /
M485 / M486 / M495 / M515 / M515LA / M525 /
M575 /T615) , Nexave (BR-C501 / C601) ,
LX BR-T675 / RST D-Power Mech / Tektro Aquila
MD-M500 , Auriga (HD-M290 / M291 / T530 /
T525 / T520 / E530 / E525 / E520 / E500) ,
Draco2 HD-M352 , Orion(SL HD-M740 , HD-M730 ,
HD-M725) , Gemini(SL HD-M520 / M521 , HD-M500 /
M501,HD-M510) , HDC330 HD-M330 , MD-M280 ,
Aries MD-M300 , Mira MD-C400 , Volans HD-T710 ,
Vela HD-T290 , Dorado HD-E715/ TRP Hylex , HY/RD ,
Spyre SLC Spyre , Spyke , Dash Sport / Giant MPH Root



- DS-10+SP-10
- DS-10R+SP-10
- DS-10S+SP-10

Shimano Deore , Naxave BR-M555
hydraulic



- DS-15+SP-15
- DS-15R+SP-15
- DS-15S+SP-15

Shimano XTR(BR-M965/M966/M975/M975P),
Saint(BR-M800),Hone(BR-M601),SLX(BR-M665),
Deore XT(BR-M765/M775/M776),Deore LX
(BR-M585/T605/T665),Deore(BR-M535/M595/M596),
Alfine(BR-S500/S501),BR-M545,BR-R505,
BR-T605/TRP Dash carbon,Parabox



- DS-17+SP-17
- DS-17R+SP-17
- DS-17S+SP-17

Shimano XTR BR-M9120,XT BR-M8020 ,
Saint (M810/M820),Zee M640,BR-MT520/
TRP Quadiem,Quadiem SL,Slate T4 /
Tektro HD-(M735/M745/755),HD-E720/E725



- DS-43+SP-43
- DS-43R+SP-43
- DS-43S+SP-43

Shimano XTR (BR-M9000/M9020 /M987/M988/
M985),XT (BR-M8000 /M785),SLX (BR-M7000/
M675/M666),DEORE BR-(M6000/M615),
ALFINE BR-S700,BR-(RS785/R785/CX75/R515/
R315)/FSA K-Force DB-TX-9000,Afterburner
DB-TX-9150/REVER MCX1 Post Mount



- DS-52+SP-52
- DS-52R+SP-52
- DS-52S+SP-52

Shimano Dura Ace BR-R9170,Ultegra BR-R8070,
XTR BR-M9100,BR-(RS305/RS405/RS505/RS805)/
Tektro HD-R310/ REVER MCX1 Flat Mount



- DS-63+SP-63
- DS-63R+SP-63
- DS-63S+SP-63

AVID/SRAM

Avid Juicy(carbon/3/5/7/ultimate),
BB7 mechanical /Promax DSK-950




- DS-11+SP-11
- DS-11R+SP-11
- DS-11S+SP-11

DISC PADS

AVID/SRAM

Avid Code(2007~2010) ,
Code(5/7)



DS-34+SP-34



DS-34R+SP-34



DS-34S+SP-34

Avid BB5 mechanical/Promax
(DC-710/720/913),(DSK 300/300R/
310/330R/717/717R),Render,Render R



DS-38+SP-38




DS-38R+SP-38



DS-38S+SP-38

Avid Elixir (1 / 3 / 5/ VIA GT / 7 /
9 / R / CR) SRAM XX , XO , DB
(5 / 3 / 1) , Level TL,T,Level



DS-44+SP-44




DS-44R+SP-44



DS-44S+SP-44

Sram Code 2011-2017/R/RSC, Guide RE



DS-54+SP-54



DS-54R+SP-54



DS-54S+SP-54

Avid DB(1/3/5)



DS-55+SP-44



DS-55R+SP-44

Avid road RED / SRAM HRD
eTap HRD Level Ultimate,TLM



DS-56+SP-56




DS-56R+SP-56



DS-56S+SP-56

Avid XO Trail, Elixir (7 Trail/9 Trail)/
SRAM Guide (ultimate/RSC/RS/R/
T/G2 ultimate)



DS-57+SP-57



DS-57R+SP-57



DS-57S+SP-57

MAGURA

Magura Louise 1999~2001 ,
Clara ~2000



DS-04



DS-04R



DS-04S

Magura Julie 2001 - 2008 ,
Louise 2007



DS-12+PIN-12



DS-12R+PIN-12



DS-12S+PIN-12

Magura Clara 2001 - 2002 , Louise
Louise 2002 - 2006 , Louise FR
2002 / Promax DSK-903



DS-14+PIN-12




























DS-14R+PIN-12



























DS-14S+PIN-12

MAGURA















Magura Gustav M ~2010			 DS-18+SP-18  DS-18R+SP-18
Magura Marta , Marta SL ~2008 , Marta Gold , Clark Skeletal			 DS-19+SC0205  DS-19R+SC0205  DS-19S+SC0205
Magura Louise 2007-2008,Marta 2009, Louise Bat,Louise Carbon,Julie hp, Brake Force One BFO Brake			 DS-36  DS-36R  DS-36S
Magura MT(2 / 4/ 6 / 8)			 DS-53  DS-53R  DS-53S
Magura MT5			 DS-61  DS-61R  DS-61S
Magura MT7 / MT5			 DS-62  DS-62R  DS-62S

HAYES





































Hayes HFX Mag /Plus/XC/HD/ 9 Carbon/9XC/9HD/MX1, HFX-9 hydr.+mech.			 DS-01+SP-01  DS-01R+SP-01  DS-01S+SP-01
Hayes MX-2 , MX-3 , MX-4 , MX-5 , Sole , CX pro(comp / exper) / QUAD QHD-(4/5/SP) / PROMAX DSK-810/UNIQUE mechanical			 DS-26  DS-26R  DS-26S
Hayes El Camino , EL trail hydraulic			 DS-37+W/SP  DS-37R+W/SP  DS-37S+W/SP
Hayes Stroker Ryde , Dyno			 DS-40+SP-40  DS-40R+SP-40  DS-40S+SP-40
Hayes Stroker (Trail / Carbon / Gram)			 DS-41+W/SP  DS-41R+W/SP  DS-41S+W/SP

HAYES













DISC PADS

Hayes Stroker Ace			 DS-45+W/SP  DS-45R+W/SP  DS-45S+W/SP
Hayes Prime			 DS-49+SP-49  DS-49R+SP-49  DS-49S+SP-49
Hayes Dominion A4			 DS-66+SP-66  DS-66S+SP-66















HOPE

Hope C2 , O2 / Giant MPH 2000			 DS-05+PIN-05  DS-05R+PIN-05
Hope Mini			 DS-20+SP-20  DS-20R+SP-20  DS-20S+SP-20
Hope DH4,E4,M4			 DS-22+SP-22
Hope XC 4-Piston			 DS-24+SP-24  DS-24R+SP-24  DS-24S+SP-24
Hope Mono 6 ti			 DS-28+SP-28  DS-28R+SP-28  DS-28S+SP-28
Hope Mono mini			 DS-29+SP-29  DS-29R+SP-29  DS-29S+SP-29
Hope moto V2			 DS-35+SP-35  DS-35R+SP-35  DS-35S+SP-35
Hope mono Trail , Trial Zone			 DS-39  DS-39R  DS-39S













HOPE

Hope Tech V2 , mini X2			 DS-48+SP-35  DS-48R+SP-35  DS-48S+SP-35
Hope V4 brake			 DS-58+SP-43  DS-58R+SP-43
Hope E4 brake			 DS-64+SP-09

FORMULA

Formula B4 (Extreme / Team / Pro / Pro+ / SL / SL+) , 4 Racing XC , Extreme (FR / DH&BR / Team / Pro SL)			 DS-16+SP-16  DS-16R+SP-16  DS-16S+SP-16
Formula ORO , K18 , K24			 DS-31+SP-31  DS-31R+SP-31  DS-31S+SP-31
Formula Mega,RO Racing,T1 Racing, R1 Racing,The one,R1,FR,RX,RO,T 1,C1,CR3,RR1			 DS-42+SP-42  DS-42R+SP-42  DS-42S+SP-42
Formula Cura 4			 DS-65+SP-65  DS-65S+SP-65

TEKTRO

Tektro (Aquila/IO),Novela< 2010 hydraulic,mechanical			 DS-08  DS-08R  DS-08S
Tektro Lyra IOX , Novela			 DS-46  DS-46R  DS-46S
Tektro Dorado HD-E710			 DS-59+SP-59  DS-59R+SP-59

DISC PADS

GIANT


Giant MPH 2001~2005



-  DS-21
-  DS-21R
-  DS-21S

PROMAX

A+B: Promax DSK-(200/200S/400/400E/400S/610)mechanical
B+B: DSK-320/700 mechanical



-  DS-30
-  DS-30R

CANNONDALE

Cannondale Coda Caliper



-  DS-03
-  DS-03R

RST

Rst mechanical



-  DS-06
-  DS-06R

ALHONGA

Alhonga SNG Mechanical Disc
Brake 200M
Zoom DB250/350/450/550



-  DS-23
-  DS-23R

LOGAN

Logan DX 2001 / 2002





-  DS-25
-  DS-25R

SUNTOUR

SR SUNTOUR DB XCC-MC
Mechanical/Tektro SUB,e-sub,
Twin,Volans/TRP Parabox 2011 Rear



-  DS-27+SP-27
-  DS-27R+SP-27

DIATECH

Dia-tech Anchor/
Armor Promax DSK-901



-  DS-32
-  DS-32R

DISC PADS



E-bike compound is specially adapted to the requirements of e-bikes. It offers powerful, stable braking power, excellent wear resistance and longer lifespan.

SHIMANO



 **DS-10E+SP-10**



 **DS-17E+SP-17**



 **DS-43E+SP-43**



 **DS-53E**



 **DS-61E**



 **DS-44E+SP-44**



 **DS-54E+SP-54**



 **DS-57E+SP-57**



 **DS-62E**



 **DS-42E+SP-42**

AVID

MAGURA

FORMULA

BRAKE SHOES

EXTRA LIGHT



C55D

- Lighter, more exclusive and more premium brake set with a beautiful finish in White/Gold, Black/Gold, Pink/Blue
- CNC machined brake holders Compatible with all major V-BRAKE
- Length: 72mm



472C

- Shimano, TRP and all major road brake system compatible
- Full CNC machined extra-light holder
- High-friction coefficient compound



500C

- Lightweight cartridge type brake
- Triple contour design



460CL

- Campagnolo compatible-2011
- Extra-light holder with fixing spring
- High-friction coefficient compound



C56D

- Lighter, more exclusive and more premium brake set with a beautiful finish in White/Gold, Black/Blue, Pink/Blue
- CNC machined brake holders Compatible with all major Road Brake



MTB-971VC

- Extra-light V-brake shoes design
- High braking coefficient rubber compound





MTB-945V

- Length: 72mm




MTB-945VC

- 72mm cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: silver, black



MTB-945VCR

- Replacement of MTB-945VC
- Pads & pins only
- Length: 72mm



MTB-955VC

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black
- Available for triple-color pad
- Length: 72mm



MTB-955VCR

- Replacement of MTB-955VC
- Available for triple-color pad
- Pads & Pins only
- Length: 72mm



MTB-955VC-2

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Available for triple-color pad
- Length: 72mm



MTB-959V

- Length: 72mm v-brake pads
- New aqua-guide design



MTB-959VC

- Length: 72mm
- All weather compound
- New groove design



MTB-959VCR

- Replacement of MTB-959VC
- Pad & pins only
- Length: 72mm



MTB-960V

- Length: 72mm V-brake pads
- Triple contour design



MTB-470CV

- Length: 55mm
- Triple contour road brake pad
- Triple-color
- Suitable for folding bike



MTB-453CV

- Length: 55mm
- Suitable for folding bike

BRAKE SHOES U-TYPE



MTB-935V

- Length: 55mm



MTB-943V

- Length: 65mm



MTB-946V

- Length: 70mm



MTB-947V

- Length: 70mm
- Available for two-tone color
- Color options: Red/Yellow

Color		
	● Red	● Yellow



MTB-948V

- Length: 60mm



MTB-948D

- V-Brake Shoes Set
- Black Threaded Type
- Transparent & Blue/ Red Brake Block For Alloy Rims
- Length: 60 mm



MTB-470V

- Length: 55mm
- Triple contour design



MTB-957V

- Length: 70mm



MTB-961VC

- 72mm cartridge brake shoes set
- Aluminum-Pad Holder



IKO-401.12

- Corratec Bow design
- Length: 76mm
- Color options: Red/Yellow/Gray



Color			
	● Red	● Gold	● Gray



453-2

- Length: 55mm
- For Alloy rim use
- Compatible with Shimano direct mount type brake
- Replacement of 453C/432C/456C/456CL/459C/472C/C56D/453CV/453D



453D

- 2-piece Brake shoe set
- For Ultegra BR-6810 direct-mount caliper



432C

- Length: 55mm road brake
- EN standard compound

Color	●	●	●
	Red	White	Black



453C

- Length: 55mm road brake
- Compatible with Shimano/SRAM brake systems.



456CL

- Length: 55mm road brake
- Ultra light holder design
- Angle adjustable designed



456C

- 55mm Cartridge brake shoes set
- Aluminum-Pad Holder
- Angle adjustable designed



457C

- Length: 55mm
- Cartridge brake shoes set
- Aluminum-Pad Holder
- Ditch way design for wet condition



457

- Length: 55mm
- Ditch way design for wet condition
- Replacement of 457C



459C

- 55mm Cartridge brake shoes set
- Aluminum-Pad Holder
- Compatible with Shimano 105 SC, Ultegra& Dura-Ace
- Finish: Silver, Matt black



460-2

- Length: 55mm
- For Alloy rim use
- Compatible with Campagnolo system (spring hole type)



460 C

- 55mm cartridge brake shoes set
- Aluminum-Pad Holder
- Compatible with Campagnolo Record 10, Chorus 10, Center 10
- Finish: Silver, matt black



467 CLA

- Length: 55mm
- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black



467

- Length: 55mm
- For Alloy rim
- Compatible with Shimano and all major brake system
- Superior heat dissipation
- Stable brake performance
- Replacement of 467CLA

5-in-1 Brake Shoes



476 (Alloy Rim)

476-AP (Carbon Rim)

- Various compounds are available for carbon rims or alloy rims
- Low-profile design for wider rim (23mm and up) use
- Compatible with 5 types of cartridges as shown below



476 C

- Shimano Standard Mount Brake Cartridge brake shoes set
- Length: 55mm
- For Alloy rim use



476 D

- Shimano DIRECT Mount Brake Cartridge brake shoes set
- Length: 55mm
- For Alloy rim use

	Standard	Direct Mount	Universal
Shimano			
Campagnolo			



468 SC

Compatible with Shimano and all major road brake system

- Length: 55mm
- For Alloy Rim
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



468 CC

Compatible with campy (Up To Speed 11)

- Length: 55mm
- For Alloy Rim
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



468

- Compatible with both Shimano & Campy brake
- For Alloy Rim
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design



461 C

- 55mm cartridge road brake shoes set
- Aluminum pad holder
- All weather compound
- Compatible with Shimano 105 SC, Ultegra& Dura-Ace
- Triple-color pad



461

- 55mm
- Replacement of 461C
- Triple-color pad



470 TC

- Triple-contour road brake pad
- Compatible with all major road brake
- Extra-light holder
- Triple-color
- Holder color available: red, white, black



470 TCR

- Replacement of 470TC
- Length: 55mm



471 C

- Extra light road brake set
- Compatible with all major road brake
- Cartridge available in Ti/Black/Red/Orange




471 TCR

- Replacement of 471C
- Length: 55mm



MTB-950

- Length: 50mm
- Trial Pad for Magura Hydraulic Rim Brake



MTB-950T

- Length: 50mm
- Trial Pad for Magura Hydraulic Rim Brake



450

- Length: 50mm



451

- Length: 50mm



452

- Length: 50mm



458

- Length: 55mm road brake
- Angle adjustable

CANTILEVER BRAKE SHOES



MTB-931

- Length: 53mm



MTB-934

- Length: 60mm



MTB-935

- Length: 55mm



MTB-936

- Length: 65mm



MTB-937

- Length: 60mm



MTB-938

- Length: 65mm



MTB-939

- Hardened aluminum post
- Length: 64mm
- Color options: Red



MTB-939U

- Threaded type
- Length: 64mm



MTB-945

- Hardened steel post
- Length: 72mm



MTB-945VCP

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver anodized
- Length: 72mm



MTB-947

- Hardened steel post
- Length: 70mm
- Available for two-tone color
- Color options: Red/Yellow

Color	Red	Yellow
	●	●




IKO-401.11

- Corratec Bow design
- Hardened aluminum post
- Length: 76mm
- Color options: Red/Yellow/Gray

Color	Red	Yellow	Gray
	●	●	●

CALIPER BRAKE SHOES



203S

- Length: 35mm

203M

- Length: 40mm



206S

- Length: 35mm



203MW

- Length: 40mm
- Taper: 8°
- Embedded Leather Strip



207

- Length: 40mm
- X pattern

ABS TECH

ANTI-LOCK BRAKE SYSTEM

- Avoid pitching over
- More braking control
- Shorten braking distance
- Suspension feeling

BRAKE SHOES
ABS TECH • BMX

ABS-01RC

- Length: 55mm
- 2-piece Road brake shoe



ABS-01RCR

- Length: 55mm
- Replacement of ABS-01RC



ABS-01VC

- Length: 72mm
- 2-piece V-brake shoe set



ABS-01VCR

- Length: 72mm
- Replacement of ABS-01VC



ABS-02V

- 1-piece ABS-function V-brake shoes
- Length: 72mm



BMX

MTB-948V Clear

- Length: 60mm
- Clear compound for Trial bikes V-type brake shoes
- Color options: shown as below



MTB-960V Clear

- Length: 72mm
- Clear compound for Trial bikes V-type brake shoes
- Color options: shown as below



MTB-950 clear

- Length: 50mm
- Clear compound for Trial bikes
- Fit MAGURA hydraulic rim brake

COOLING SOLUTION

CARBON COMPOUND

this is an outstanding compound that gives excellent performance on all carbon rims, giving market leading performance in both dry/wet conditions. As such this is baradine's NO.1 selling compound and is universally considered as the ideal all round performance that allows users to brake with assertiveness that only comes from knowing your riding the best, which is why its also selected by all after market brands which Baradine supply.

CERAMIC COMPOUND

If you ride ceramic rims then the only compound you'll want to use is Baradine.

Baradine has develop a range of super sticky compounds specifically for trails use where you needs huge amounts of stopping power instantaneously, for this compound pad wear/noise take fourth place for the characteristics profile following performance, performance and performance.




467 CLC

- Cartridge brake shoes set
- Aluminum-Pad Holder
- Finish: Silver, black, anodized
- Length: 55mm



467 KA

- Length: 55mm
- For carbon rim
- Compatible with Shimano and all major brake system
- Superior heat dissipation
- Stable brake performance
- Replacement of 467CLC



Water Remove

Buffer design

Main brake

Crud clean

Compatible with Shimano, Campy Road and all major road brake system

468 -PRO

- For Carbon rim
- Length: 55mm
- All weather compound
- Anti-Squeal design
- Replacement of 468SC/468CC



468CC-PRO

Compatible with CAMPY brake (Up to 11 speed)

- For Carbon rim
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design

468SC-PRO

- Compatible with Shimano brake
- Length: 55mm
- All weather compound
- Crud Clean & Water Remove function
- Anti-Squeal design

PRO COMPOUND



453-2-PRO

- Length: 55mm
- For Carbon rim use only
- Compatible with Shimano direct mount type brake
- Replacement of 453C

460-2-PRO

- Length: 55mm
- For Carbon rim use only
- Compatible with Campagnolo system (spring hole type)

959VCR-PRO

- Length: 72mm
- For Carbon rim use only
- Compatible with V-brake
- Replacement of 959VC



453-2-CORK

- Use with carbon rims only
- Replacement of 453C
- Compatible with Shimano 105 SC, Ultegra&Dura-Ace



460-2-CORK

- Use with carbon rims only
- Replacement of 460C
- Compatible with Campagnolo Record, Chorus, Centaur&Veloce 2000



453-2-CE

- Use with ceramic rims only.
- Replacement of 453C
- Compatible with Shimano 105 SC, Ultegra & Dura-Ace



460-2-CE

- Use with ceramic rims only.
- Replacement of 460C
- Compatible with Campagnolo Record 10, Chorus 10, Centaur 10



MTB-945VCR-CE

- Use with ceramic rims only.
- Replacement of 945VC
- Pads & pins only
- Legth:72mm



473 CL

- Shimano, TRP and all major road brake systems compatible
- Extra braking-surface for better braking performance and heat dissipation
- Extra-light brake shoe holder design
- high braking coefficient compound
- For carbon rim use
- Holder color available :White, Black, Silver, Red



474 CL

- Campagnolo brake systems compatible
- Extra braking-surface for better braking performance and heat dissipation
- Extra-light brake shoe holder design
- high braking coefficient compound
- For carbon rim use
- Holder color available :White, Black, Silver, Red






















473





- Replacement of 473CL



























474

- Replacement of 474CL

Part No.	Material	Compatible Systems	End Fittings
AVID			
BH-101	KEVLAR+NYLON	Avid ® XX World Cup 2010-2011, XX™ 2010-2011; Avid ® Juicy Ultimate™Juicy Carbon, Juicy Seven™, Juicy Five™	 →2 SETS
BH-111	KEVLAR+YARN		
BH-121	KEVLAR+STAINLESS		
BH-102	KEVLAR+NYLON	Juicy 3 CODE COD2008-2010, 5, 7, R 2011 Elixir 1, 3 DB 2016 1, 3	 →4 SETS
BH-112	KEVLAR+YARN		
BH-122	KEVLAR+STAINLESS		
BH-103	KEVLAR+NYLON	Avid ® Elixir R, CR, CR Mag, 5, 7, 9, X0, XX2012+, XX World Cup 2012; 7 Trail, 9 Trail, X0 Trail	 →2 SETS
BH-113	KEVLAR+YARN		
BH-123	KEVLAR+STAINLESS		
BH-104	KEVLAR+NYLON	Guide Ultimate Guide RS & R (2017) Guide RSC (2017) Guide RE (2017) Code RSC & R (2018) Level Ultimate, TLM & TL RED eTap HRD RED HRD Force HRD Rival HRD Apex HRD S-700	
BH-114	KEVLAR+YARN		
BH-124	KEVLAR+STAINLESS		
SHIMANO			
BH-201	KEVLAR+NYLON	XTR M975, Deore XT M775, SLX M665 Deore LX T665, M585, Hone M601, Deore T615, M595, M535, M525, Alfine S500, S501 Metrea U5000, Alivio M4050, Acrea M3050 Non-Series T605, M447, MT500, M575, M486, M485, M446, M445, M395, M365, M355, M315	 →4 SETS
BH-211	KEVLAR+YARN		
BH-221	KEVLAR+STAINLESS		
BH-202	KEVLAR+NYLON	XTR 2005-2006	 →4 SETS
BH-212	KEVLAR+YARN		
BH-222	KEVLAR+STAINLESS		
BH-203	KEVLAR+NYLON	DEORE XT 2005-2007	 →2 SETS
BH-213	KEVLAR+YARN		
BH-223	KEVLAR+STAINLESS		
BH-204	KEVLAR+NYLON	XTR (M9120 / M9100 / M9020 / M9000); Saint M820; Deore XT (M8120 / M8100 / M8020 / M8000); SLX (M7120 / M7100); Zee M640; Deore M6000	
BH-214	KEVLAR+YARN		
BH-224	KEVLAR+STAINLESS		
MAGURA			
BH-301	KEVLAR+NYLON	Clara 2000-2002, Gustav M 2000-2011, Julie HP 2009, Marta 2002-2010, Marta SL2003-2011, Marta Gold 2007, Louise 2000-2010, Louise FR 2002-2006, Louise BAT 2008-2010, Louise Carbon 2008-2010	 →2 SETS
BH-311	KEVLAR+YARN		
BH-321	KEVLAR+STAINLESS		
BH-302	KEVLAR+NYLON	Gustav M 2000-2010, Marta 2007-2010, Marta Gold 2007, Marta SL 2008-2010, MT Trail, MT8, MT7, MT6, MT5, MT4	 →2 SETS
BH-312	KEVLAR+YARN		
BH-322	KEVLAR+STAINLESS		
FORMULA			
BH-401	KEVLAR+NYLON	R1R/R1/RO/RX/T1/MEGA	 →2 SETS
BH-411	KEVLAR+YARN		
BH-421	KEVLAR+STAINLESS		

Part No.	Material	Compatible Systems	End Fittings
HAYES			
BH-501	KEVLAR+NYLON	Prime Expert, Prime Pro, Prime Comp; Stroker Trail, Stroker Carbon, Stroker Ace, Stroker Gram Dyno Sport, Dyno Comp; Prime Sport; Radar; Stroker Ryde	HP-H -01  → 4 SETS
BH-511	KEVLAR+YARN		
BH-521	KEVLAR+STAINLESS		
TEKTRO			
BH-601	KEVLAR+NYLON	Auriga Comp, Auriga Comp WS; Draco, Draco WS, Draco 2; Gemini Tektro® Auriga Pro; Gemini SL; Orion, Orion SL; Volans; TRP® Slate T4; Quadiem, Quadiem SL; Dash Carbon, Dash Sport	HP-T-01  → 4 SETS
BH-611	KEVLAR+YARN		
BH-621	KEVLAR+STAINLESS		

OUTER CASING BRAKE SHIFT

MATERIAL	COLOR	SPECIFICATION	Part. No.	LENGTH	PACKAGE
SD 	 GN  RD  BK  YE  BU  PK  OG  WH	• Standard 2P coiled brake housing	BH-SD-01	2.5m	header card
			BH-SD-02	7.5m	header card
			BH-SD-03	50m	workshop box
		• Standard SP linear shift housing	DH-SD-01	2.2M	header card
			DH-SD-02	6.6M	header card
			DH-SD-03	50M	workshop box
YN 	 YBU  YSR  YRD  YPK  YGD	• Yarn braided 2P brake housing	BH-YN-01	2.5m	header card
			BH-YN-02	7.5m	header card
			BH-YN-03	50m	workshop box
		• Yarn braided SP linear shift housing	DH-YN-01	2.2M	header card
			DH-YN-02	6.6M	header card
			DH-YN-03	50M	workshop box
LA 	 LSR  LGD	• Shiny gold/silver 2P brake housing	BH-LA-01	2.5m	header card
			BH-LA-02	7.5m	header card
			BH-LA-03	50m	workshop box
		• Shiny gold/silver SP linear shift housing	DH-LA-01	2.2M	header card
			DH-LA-02	6.6M	header card
			DH-LA-03	50M	workshop box
AL 	 BK  WH  RD  YE  BU	• Alloy+steel linear SP brake housing • Double Kevlar reinforced • Pre-greased • 50% lighter than standard 2P	BH-AL-01	2.5m	header card
			BH-AL-02	7.5m	header card
			BH-AL-03	50m	workshop box
		• Alloy+steel linear SP brake housing • Double Kevlar reinforced • Pre-greased • 35% lighter than standard SP	DH-AL-01	2.2M	header card
			DH-AL-02	6.6M	header card
			DH-AL-03	50M	workshop box

INNER WIRE

SPECIFICATION	USE	PART NO.			PACKAGE
		SHIMANO	CAMPAGNOLO	MTB UNIVERSAL	
TEFLON COATED SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-TSC-01	BI-C-TSC-01	BI-M-TSC-01	1 PC/HEADER CARD
		BI-S-TSC-02	BI-C-TSC-02	BI-M-TSC-02	50 PCS/BOX
		BI-S-TSC-03	BI-C-TSC-03	BI-M-TSC-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-TSC-01	DI-C-TSC-01		1 PC/HEADER CARD
		DI-S-TSC-02	DI-C-TSC-02		50 PCS/BOX
		DI-S-TSC-03	DI-C-TSC-03		100 PCS/ BOX
	BRAKE 1.7M/PC	BI-S-SS-01	BI-C-SS-01	BI-M-SS-01	1 PC/HEADER CARD
		BI-S-SS-02	BI-C-SS-02	BI-M-SS-02	50 PCS/BOX
		BI-S-SS-03	BI-C-SS-03	BI-M-SS-03	100 PCS/ BOX
STAINLESS STEEL SLICK TREATMENT	SHIFT 2.1M/PC	DI-S-SS-01	DI-C-SS-01		1 PC/HEADER CARD
		DI-S-SS-02	DI-C-SS-02		50 PCS/BOX
		DI-S-SS-03	DI-C-SS-03		100 PCS/ BOX
	BRAKE 1.7M/PC	BI-S-SG-01	BI-C-SG-01	BI-M-SG-01	1 PC/HEADER CARD
		BI-S-SG-02	BI-C-SG-02	BI-M-SG-02	50 PCS/BOX
		BI-S-SG-03	BI-C-SG-03	BI-M-SG-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-SG-01	DI-C-SG-01		1 PC/HEADER CARD
		DI-S-SG-02	DI-C-SG-02		50 PCS/BOX
		DI-S-SG-03	DI-C-SG-03		100 PCS/ BOX
GALVANIZED STEEL SLICK TREATMENT	BRAKE 1.7M/PC	BI-S-SG-01	BI-C-SG-01	BI-M-SG-01	1 PC/HEADER CARD
		BI-S-SG-02	BI-C-SG-02	BI-M-SG-02	50 PCS/BOX
		BI-S-SG-03	BI-C-SG-03	BI-M-SG-03	100 PCS/ BOX
	SHIFT 2.1M/PC	DI-S-SG-01	DI-C-SG-01		1 PC/HEADER CARD
		DI-S-SG-02	DI-C-SG-02		50 PCS/BOX
		DI-S-SG-03	DI-C-SG-03		100 PCS/ BOX



ACCESSORIES



	item	spec
	CAPBP 01	Plastic fits 5mm brake housing
	CAPDP 01	Plastic fits 4mm shift housing
	CAPBC 01	Copper pressed fits 5mm brake housing
	CAPDC 01	Copper pressed fits 4mm shift housing
	CAPBA 01	Aluminum CNC machined fits 5mm brake housing
	CAPDA 01	Aluminum CNC machined fits 4mm shift housing
	TIP 01	Aluminum pressed fits 1.2/1.5mm inner wire
	RB-01	<ul style="list-style-type: none"> nylok anti loosen treated T25 TORX * M5*10mm



BARADINE

Baradine Rubber Industrial Co., Ltd.

Punei St.377, Changhua 50064, Taiwan

Tel: 886-4-7112650

Fax: 886-4-7120839

E-mail: baradine@ms25.hinet.net

